




AASP – The Palynological Society

Promoting the Scientific Understanding of Palynology since 1967



NEWSLETTER

March 2021

Volume 54, Number 1

SUPPLEMENT

Published Quarterly




AASP – TPS NEWSLETTER

Published Quarterly by AASP – The Palynological Society

March 2021, Volume 54, Number 1, Supplement

CONTENTS

Page 3 | List of Arthur D. Cohen publications



List of Arthur D. Cohen publications

Arthur D. Cohen

1942-2020

A Palynologist and Organic Petrographer

By Jen O'Keefe, Fred Rich, James C. Hower

1. Books and Monographs

Spackman, W., Cohen, A. D., Given, P. H., and Casagrande, D. J., 1974, Comparative Study of the Okefenokee Swamp and the Everglades-Mangrove Swamp-Marsh Complex of Southern Florida: Geol. Soc. America Field Trip Guidebk. no. 6, 265 pp.

Given, P. H. and Cohen, A. D., 1977, eds., Interdisciplinary Studies of Peat and Coal Origins: Geol. Soc. America Microform Publ., 173 pp.

Spackman, W., Cohen, A. D., Given, P. H., and Casagrande, D. J., 1976, Comparative Study of the Okefenokee Swamp and the Everglades-Mangrove Complex of Southern Florida: Coal Research Section, Penn. State Univ., 403 pp.

Cohen, A.D., 1979. Peat Appraisal Report: Dare County Bombing Range, NC: U.S. Army Corps of Engineers Contract #DACA 21-78-C-0104.

Cohen, A.D., Holmes, M., Andrejko, M.J., Corvinus, D.A., and Tisdale, M., 1981, Peat resource estimation of S. Carolina: (Year 2), South Carolina Energy Research Institute, Columbia, S.C., 98 pp.

Cohen, A.D., Casagrande, D. J., Andrejko, M. and Best, R., eds., 1984, The Okefenokee



Photo: Art in the Everglades. (Image from Arthur Cohen via James C. Hower)

Swamp: Its Natural History, Geology, and Geochemistry: Wetland Surveys, 720 pp.

Roybal, G., Campbell, E., Beaumont, E., Cohen, A., Kuellmer, F., and Kottlowski, F., 1986, Quality assessment of the strippable coals of New Mexico: New Mexico Energy Res. and Dev. Inst., (2-73-4304): 90 pp.

Trocki, L., Newman, C.K., Gurule, F., Aragon, P.C., Peck, C., Booth, S.R., Burris, A.E., Cohen, A.D., et al., 1988, Un Atlas Energetico de Cinco Paises Centroamericanos, LA-11205-MS, Los Alamos National Laboratory, 126 pp.

Cohen, A.D., R.C. Borden, E.M. Stack, Liu, J., and J.R. Durig, 1996, Evaluation of Peat-based and Nutrient Media for Remediation of Hydrocarbon Contaminated Groundwater in Permeable Barrier Applications: EPA/600/X-96/001, 53 pp.

Cohen, A.D., 2005, Peat Deposits of the

Okefenokee Swamp: Their Significance in Interpreting the Characteristics of Coal Seams: Wetland Surveys, Columbia, SC, 155 pp.

Shelley, D. C., Cohen, A., D., and Thom, T. A., 2008, Floodplain Geomorphology and Depositional Environments of Congaree National Park: National Park Service, 53 pp.

2. Papers, Book Chapters, and Archaeological Reports

Cohen, A.D., 1968, The Petrology of Some Peats of Southern Florida, with Special Reference to the Origin of Coal: Ph.D. Dissert, Penn State Univ., 352 pp.

Cohen, A.D. and Guber, A.L., 1968, Production of pollen-sized "microforaminifera" from "normal" foraminifera: *Micropaleontology* 4(3): 361-362.

Cohen, A. D., 1970, An allochthonous peat deposit from southern Florida: *Geol. Soc. Amer. Bull.*, 81:2477-2482.

Given, P.H., Spackman, W., Cohen, A.D., Imbalzano, J., Casida, D., and Hiscott, T., 1970, Botanical, chemical, and microbiological studies of peat accumulation processes in the Everglades of Florida: *Internat. Ser. Mono. Earth Sci.*, 32:313-314.

Cohen, A.D. and Spackman, W., 1972, Methods in peat petrology and their application to reconstruction of paleoenvironments: *Geol. Soc. Amer. Bull.*, 83:129-142.

Cohen, A.D., 1973, The petrology of some recent peat sediments from the Okefenokee swamp-marsh complex of southern Georgia: *Geol. Soc. Amer. Bull.*, 84:3867-3878.

Cohen, A.D., 1973, Possible influences of subpeat topography and sediment type upon the development of the Okefenokee Swamp of Georgia: *Southeastern Geology*, 15(3):141-151.

Cohen, A.D. and Wiedemann, H.U., 1973, Distribution and depositional history of some pre-lagoonal Holocene sediments from the Ceinaga Grande de Santa Marta, Colombia: *Mitteilungen aus dem Instituto Colombo-Aleman de Invest. Cient.*, Santa Marta, 7:139-154.

Cohen, A.D., 1974, Petrography and paleoecology of Holocene peats from the Okefenokee swamp-marsh complex of Georgia: *Jour. of Sedimentary Pet.*, 44(3):716-726.

Cohen, A.D. and Spackman, W., 1974, Petrology of peats from the Everglades and coastal swamps of southern Florida: environments of South Florida, present and past: *Miami Geol. Soc. Memoir*, 2:233-255.

Cohen, A.D., 1974, Evidence of fires in the ancient Everglades and coastal swamps of southern Florida: environments of South Florida, present and past: *Miami Geol. Soc. Memoir*, 2:213-218.

Gleason, P.J., Cohen, A.D., Smith, W.G., Brooks, H.K., Stone, P.A., Goodrich, R.L., and Spackman, W., 1974, The environmental significance of Holocene sediments from the Everglades and saline tidal plain: environments of South Florida, present and past: *Miami Geol. Soc. Memoir*, 2:287-341.

Cohen, A.D., 1975, Peats from the Okefenokee swamp-marsh complex: *Geoscience and Man*, XI:123-131.

Cohen, A. D. and Spackman, W., 1977, Phytogenic organic sediments and sedimentary environments in the Everglades-mangrove complex, Part II, the origin, description and classification of the peats of southern Florida, *Palaeontographica Abteilungs B*, 162:1-132.

Gleason, P.J., Hoffstetter, R., Cohen, A.D., and Stone, P.A., 1977, Characteristics and peat stratigraphy of Tree Islands: *Geol. Soc. Amer. Microform Publ.*, 7:93-109.

Cohen, A.D., 1977, Bibliography of the geology, biology, and history of the Okefenokee swamp and vicinity: Natl. Wildlife Refuge Leaflet Series, 11 pp.

Given, P.H. and Cohen, A.D., 1977, Interdisciplinary studies of peat and coal origins, Book Brief: Geology, 5,(6):254-255.

Staub, J.R. and Cohen, A.D., 1978, Kaolinite-enrichment beneath coals: a modern analog, Snuggedy Swamp, South Carolina: Jour. Sed. Pet., 48(1):203-210.

Cohen, A.D., 1979, The Okefenokee Swamp: A low-sulphur end member of a depositional model for coastal plain coals: Compt. Rendu, 9th Intern. Carb. Cong., 4:289-298.

Corvinus, D. A. and Cohen, A. D., 1979, Pre-macerated characteristics of carbonaceous sediments from Snuggedy Swamp. South Carolina: (9th Congress Intern. de Stratigraphie et de Geologie du Carbonifere, 4:171-181.

Clausen, C.J., Cohen, A.D., Emiliani, C., Holman, J.A., and Stripp, J.J., 1979, Little Salt Spring Florida: An underwater site preserving earliest wooden artifacts in N. America: Science, 203:609-614.

Staub, J.R. and Cohen, A.D., 1979, Snuggedy Swamp of South Carolina: A back-barrier estuarine coal-forming environment: Jour. Sed. Pet., 49:133-143.

Cecil, C.B., Stanton, R.W., Dulong, F.T., and Cohen, A.D., 1979, Experimental coalification of Taxodium peat from the Okefenokee Swamp, Georgia: In, Donaldson et al (eds.), Carb. Coal Short Course and Guidebook, West Virginia Geological and Economic Survey, pp. 129-141.

Cohen, A.D. and Spackman, W., 1980, Phytogenic organic sediments and sedimentary environments in the Everglades-mangrove complex, Part III: Decomposition of Plant Tissues and the Origin of Coal Macerals: Palaeontographica, 172(B):125-149.

Corvinus, D.A. and Cohen, A.D., 1980, Microbotanical composition of Okefenokee peats: 6th Inter. Peat Cong. 1980, pp. 538-541.

Cohen, A.D., 1980, A microtome sectioning procedure useful in producing precise descriptions and classifications of peats: 6th Inter. Peat Cong. 1980, pp. 21-23.

Andrejko, M.J. and Cohen, A.D., 1980, The geochemical and paleoecological significance of silicon accumulator plants in southeastern Salt Marshes: Florida Scientist, v. 43.

Cohen, A.D., 1980, South Carolina peat deposits: Proceedings of Technical Conf. on Peat: UOP/SDC, 1:75-90.

Cohen, A.D., Tisdale, M., Holmes, M., Corvinus, D., Andrejko, M., Olson, N., Abbott, W., and Vigerstad, T., 1980, Peat resources of S. Carolina: alternative energy resources: Inst. of Gas Technology, 2:35-65.

Cohen, A.D., Tisdale, M., Corvinus, D., Holmes, N., Andrejko, M., Olson, N.K., Abbott, W., and Vigerstad, R., 1980, State resource estimation: South Carolina: Proceedings of the U.S. Dept. of Energy Conf. on Peat, 2:93-133.

Andrejko, M.J., Raymond, R., and Cohen, A.D., 1982, SEM observation of dissolution and microboring features on fresh water sponges spicules. Scanning Electron Microscopy, pp. 629-638.

Andrejko, M.J., Raymond, R., Erlich, R., and Cohen, A.D., 1982, Evidence for pervasive bioerosion of silica substrates in a freshwater peat environment: AAPG Bull., 66(5):543.

Cohen, A.D., 1983, Obtaining more precise descriptions of peat by use of oriented microtome sections: In: Jarrett, P.(Ed.): Testing of Peats and Organic Soils, Amer. Soc. for Testing and Materials, STP 820:21-36.

Andrejko, M.J., Fiene, F., and Cohen, A.D., 1983, The comparison of ashing techniques for the determination of inorganic content of peats: In:

Testing of Peats and Organic Soils, American Society for Testing and Materials - STP 820:5-20.

Cohen, A.D. and Andrejko, M.J., 1983, Use of models based on modern peat deposits to predict the distribution of mineral matter in coals: In: Proc. of Workshop on Mineral Matter in Peat, Los Alamos, N.M., pp. 77-86.

Andrejko, M.J., Cohen, A.D., and Raymond, R. Jr., 1983, Origin of mineral matter in peat: In: Proc. of Workshop on Mineral Matter in Peat, Los Alamos, N.M., pp. 25-38.

Cohen, A.D., 1983, Micropetrographic characterization of peats: In: International Symposium on Peat Utilization, Center for Environmental Studies, Bemidji, Minn., pp. 431-443.

Corvinus, D.A. and Cohen, A.D., 1984, Petrographic and fluorescence characteristics of Okefenokee peats: In: Okefenokee Swamp: Its Natural History, Geology, and Geochemistry, Wetland Surveys, pp. 651-667.

Cohen, A.D., Corvinus, D., and Andrejko, M., 1984, Peats of the Okefenokee swamp-marsh complex: In: Okefenokee Swamp: Its Natural History, Geology, and Geochemistry, Wetland Surveys, pp. 493-553.

Fearn, L. and Cohen, A.D., 1984, Palynology of Okefenokee Swamp: In: Okefenokee Swamp: Its Natural History, Geology, and Geochemistry, Wetland Surveys, pp. 423-443.

Corvinus, D.A. and Cohen, A.D., 1984, Petrographic characteristics of carbonaceous sediments from the Snuggedy Swamp of South Carolina: Compt. Rendu, Inter. Carb. Cong., 30 pp.

Scherer, R.P. and Cohen, A.D., 1984, Diatoms in Okefenokee Swamp peats: In: Okefenokee Swamp: Its Natural History, Geology, and Geochemistry, Wetland Surveys, pp. 456-467.

Andrejko, M.J. and Cohen, A.D., 1984, Scanning

electron microscopy of silicophytoliths from the Okefenokee swamp-marsh complex: In: Okefenokee Swamp, Its Natural History, Geology, and Geochemistry, Wetland Surveys, pp. 468-492.

Cohen, A.D. and Andrejko, M.J., 1984, Premaceral contents of peats correlated with proximate and ultimate analyses, In: (R. Winans and J. C. Crelling, eds), Chemistry and Characterization of Coal Macerals, Amer. Chem. Soc. Symposium Series, 252:21-32.

Cohen, A.D., 1984, Evidence of fires in the ancient Everglades and coastal swamps of southern Florida: In: Gleason, P.J. (ed.) Environments of South Florida, Present and Past II: Miami Geol. Soc. Memoir, pp. 459-464.

Cohen, A.D., 1984, The Okefenokee Swamp: A low-sulfur end member of a shoreline-related depositional model for coastal plain coals: Spec. Publ. Int. Assoc. Sediment., 7:231-240.

Cohen, A.D., Spackman, W., and Dolsen, P., 1984, Occurrence and distribution of sulfur in peat-forming environments of southern Florida: Int. Jour. Coal Geology, 4:73-96.

Brown, J. and Cohen, A.D., 1985, Palynologic and petrologic analyses of peat deposits, Little Salt Spring: National Geographic Research, 1:21-31.

Cohen, A.D., Raymond, R., Archuleta, L., and Mann, D., 1985, Preliminary study of the reflectance of huminitic macerals in recent surface peats: Proc. Soc. Organic Petrol., pp. 30-31.

Cohen, A.D., Raymond, R., Mora, S., Alverado, A., and Malavassi, L., 1985, Economic characterization of peat deposits of Costa Rica, preliminary study, In: Tropical Peat Resources Prospects and Potential, pp. 146-169.

Raymond, R., Cohen, A.D., and Bish, D.L., 1985, Ash contents of Costa Rican peats, In: Tropical Peat Resources Prospects and Potential, pp. 170-186.

- Cohen, A., Raymond, R., Mora, S., Alverado, A., and Malavassi, L., 1986, Características geológicas de los depósitos de turba en Costa Rica (Estudio Preliminar): *Revista Geol. Amer. Central*, 4:47-67.
- Maestas, L.M., Raymond, R., Jr., Cohen A.D., and Mann, D.A., 1987, Advances in preparation techniques for processing microtome sections of peat: Los Alamos National Laboratory, LA-11171-OBES:20 pp.
- Cohen, A., Spackman, W., and Raymond, R., 1987, Interpreting the characteristics of coal seams from chemical, physical, and petrographic studies of peat deposits: *Spec. Publ. of Jour. Geol. Soc. (London)*, 107-125.
- Raymond, R., Cameron, C., and Cohen, A., 1987, Relationship between peat geochemistry and depositional environments, Cranberry Island, Maine: *Int. Jour. Coal Geology*, 8:175-187.
- Roybal, G., Campbell, F. W., Beaumont, E., Cohen, A., Kuellmer, F., and Kottowski, F., 1987, Quality assessment of the strippable coals in New Mexico, year 2, phase II, Fruitland, Menefee, and Crevasse Canyon Coals in the San Juan Basin of northwestern New Mexico. New Mexico Research and Development Institute, Report # 2734331:90 pp.
- Cohen, A.D., Raymond, R., Ramirez, A., and Thayer, G., 1987, Physical and chemical characteristics and development of the Changuinola peat deposit of northwestern Panama: *Wetlands/Peatlands '87*, Edmonton, Alberta, Canada, pp. 17-24.
- Malterer, T.J., Cohen, A.D., and Verry, E.S., 1987, Comparison of fiber content determination by NRCC and proposed ASTM method: *Wetlands/Peatlands '87*, Edmonton, Alberta, Canada, pp. 7-15.
- Cohen, A. D., Raymond, R., Archuleta, L., and Mann, D., 1987, Preliminary study of the reflectance of huminitic macerals in recent surface peats: *Organic Geochemistry*, 11(5):429-430.
- Cohen, A.D. and Rich, F. J., 1988, Preliminary trends in reflectance and maceral analysis of Menefee and Crevasse Canyon coals in the San Juan Basin of New Mexico: *The Society for Organic Petrology*, 5:25-30.
- Roybal, G., Campbell, F. W., Beaumont, E., Bellis, D., Cohen, A., and Kottowski, F., 1988, Quality assessment of the strippable coals in New Mexico, Year III, Phase II, Menefee, Crevasse Canyon, Moreno Hill Formation Coals in the San Juan Basin and Salt Lake Coal Field, W-central New Mexico: *New Mexico Res. and Dev. Inst., Report # 2765310*: 96 pp.
- Cohen, A. D., 1989, Comment and reply on "Modern coastal back-barrier environment: Analog for Coal Basin or for Carbonaceous Black Shale?": *Geology*, Mar., pp. 290-292.
- Cohen, A. D., Raymond, R., Ramirez, A., Morales, Z., and Ponce, F., 1989, The Changuinola peat (coal) deposit of northwestern Panama: A tropical back-barrier coal-forming environment: *Int. Jour. Coal Geology*, 12:157-192.
- Rollins, M., Cohen, A.D., Bailey, A., and Durig, J., 1989, Investigation of artificially coalified peats by petrography and combined pyrolysis GC/MS and pyrolysis GC/FT-IR/FID analysis: *Proc. of Soc. Organic Petrology*, 6:29-31.
- Davies, T. and Cohen, A., 1989, Composition and significance of the peat deposits of Florida Bay: *Jour. Marine Sci.*, 41(1):387-398.
- Raymond, R., Gladney, E., Bish, D., Cohen, A.D., and Maestas, L., 1990, Variation of inorganic content of peat with depositional and ecological setting: In: Chyi, L. and Chou, C.: *Recent Advances in Coal Geochemistry*: *Geol. Soc. America Spec. Pub.*, 248:1-12.
- Cohen, A.D., Thayer, G.R., and Ramirez, A., 1990, The Changuinola peat deposit of northwestern Panama, Volume I: Los Alamos National Laboratory, LA-11211:11 pp.

- Cohen, A.D., Thayer, G.R., and Ramirez, A., 1990, Deposito de Turba de Changuinola en el Noroeste de Panama, Los Alamos National Laboratory, 15 pp.
- Rollins, M.S., Cohen, A.D., and Durig, J.R., 1990, Physical and chemical characteristics of peats from various depositional settings: development of a peat sample bank: Proc. of The Society for Organic Petrology, 7:78-80.
- Fair-Page, T. and Cohen, A. D., 1990, Paleocological history of West-central Okefenokee Swamp based on palynologic and petrographic analysis: Palynology, 14:37-49.
- Cohen, A.D., 1990, Distribution of biogenic silica in peats from the Okefenokee Swamp: Proc. of The Society for Organic Petrology, 7:10-12.
- Cohen, A.D., Raymond, R., Ramirez, A., Morales, Z., and Ponce, F., 1990, The Changuinola peat deposit of northwestern Panama, Volume II: Resource Assessment: Los Alamos National Laboratory, LA-11211, 83 pp.
- Cohen, A.D., Raymond, R., Ramirez, A., Morales, Z., and Ponce, F., 1990, Deposito de Turba de Changuinola en el Noroest de Panama, Vol. II: Evaluacion del Recurso: Los Alamos Nat. Lab., LA-11211: 99 pp.
- Cohen, A. D., Raymond, R., Ramirez, A., Morales, Z., and Ponce, F., 1990, The Changuinola peat deposit of northwestern Panama: Int. Jour. Coal Geol., 16:139-142.
- Cohen, A. D. and Rich, F. J., 1991, Preliminary trends in reflectance and maceral analysis of upper cretaceous Menefee and Crevasse Canyon coals in the San Juan Basin of New Mexico: Organic Geochemistry, 17(2): 205-209.
- Cohen A.D. and Stout, S.A., 1991, Dedication to William Spackman: Org. Geochem., 17(2):115-116.
- Rollins, M. S., Cohen, A. D., Bailey, A., and Durig, J. R., 1991, Organic chemical and petrographic changes induced by early-stage artificial coalification of peats: Org. Geochem., 17(4):451-465.
- Obando, L., Malavassi, L., Ramirez, O., Cohen, A.D., Raymond, R., and Thayer, G., 1991, The peats of Costa Rica: Volume II: Resource Assessment: Los Alamos National Laboratory, LA-11889-MS: 32 pp.
- Cohen, A.D., Rollins, M.S., Zunic, W.M., and Durig, J.R., 1991, Effects of chemical and physical differences in peats on their ability to extract hydrocarbons from water: Water Research, 25(9): 1047-1060.
- Birdwell, B.A., Cohen, A.D., Kendall, C.G. St. C., Colling, E.L., and Alsharhan, A., 1991, Petrography and petroleum source-rock potential of algal deposits along the coast of Abu Dhabi, U.A.E.: Proc. Society for Org. Petrology, 8:57-59.
- Cohen, A.D., Rollins, M.S., Bailey, A.M., and Durig, J.R., 1991, Petrographic and chemical changes during early-stage artificial coalification of peats: Proc. Society for Organic Petrology, 8:31-33.
- Cohen, A.D., Rollins, M. S., Durig, J.R., and Raymond, R., Jr., 1991, Development of a peat sample bank: J. Coal Qual., 10(4): 145-151.
- Willis, J.J., Bailey, A.M., and Cohen, A. D., 1991, Behavior of inorganic constituents during early diagenesis of peats: Trans. Gulf Coast Ass. of Geol. Soc., XLI:690-701.
- Zunic, W.M., Ding, S., Durig, J.R., and Cohen, A.D., 1992, Pyrolysis GC/FID/FT-IR and FT-IR studies of pore water extracts derived from peat samples differing in depositional environments: J. Mol. Struct., 267:371-376.
- Cohen, A.D. and Stack, E. M., 1992, The peat resources of South Carolina, South Carolina Geology, 34(1 & 2):1-24.
- Cohen, A.D., Ehrlich, R., Ferm, J.B., and Prince, C., 1992, Discrimination of maceral composition

in crushed coal samples by particle shape: Proc. Soc. Organic Petrology, 9:14-16.

Colquhoun, D., Cohen, A., Katuna, M., Rine, J., Segall, M., and Waddell, M., 1992, Observations of the petrology, depositional setting, stratigraphy, and structure of the Upland Unit along the s-e Atlantic coast regional cross section (DNAG E-5 Corridor): Proc. Third Bald Head Isl. Conf., pp. 24-28.

Rollins, M.S., Cohen, A.D., and Durig, J.R., 1993, Effects of fires on the petrographic and chemical composition of peats in the Snuggedy Swamp of South Carolina: Int. Jour. Coal Geol., 22:101-117.

Stack, E.M., Liu, J., Ives, J., Cohen, A.D., Durig, J.R., 1993, Characterized peats as sorption media for hazardous substances in aqueous systems: emerging technologies in hazardous waste management V, Amer. Chem. Soc., II: 392-395.

Hoffman, G.K., Campbell, F.W., Beaumont, E.C., Kottlowski, F.E., Cohen, A.D., Kuellmer, F.J., Bellis, D., Cook, K.H., and Verploegh, J., 1993, Quality assessment of the strippable coals in northwestern New Mexico: Fruitland, Menefee, and Crevasse Canyon formation coals in the San Juan Basin, and Moreno Hill formation coals in Salt Lake field: New Mexico Bureau of Mines and Mineral Resources, Bull. 141: 84 pp.

Bailey, A.M. and Cohen, A.D., 1993, Stepwise compositional variations in solutions released from peats during laboratory coalification experiments: Proc. Soc. Organic Petrology, pp. 81-83.

McKay, K.E. and Cohen, A.D., 1993, Variations in the occurrence of pyrite and total sulfur at the confluence of carbonate and peat-forming environments: Proc. Soc. Organic Petrology, 10:37-39.

Colquhoun, D., Cohen, A., Katuna, M., Rine, J., Segall, M., and Waddell, M., 1993, Petrology, depositional setting, stratigraphy, structure

and age of the upland unit along the SE Atlantic coast regional cross section (DNAG E-5 Corridor) Near Charleston, SC: Florida Geol Survey Spec. Pub., 37:97-102.

Cohen, A.D. and Kendall, C.G. St. C., 1994, Book Review: The patterned peatlands of Minnesota: American Scientist, 82:284.

Stack, E.M., Eltayeb, S., Liu, J., Cohen, A.D., and Durig, J.R., 1994, The use of characterized peats as sorption media for heavy metals: Emerging Technologies in Hazardous Waste Management VI, American Chemical Society, pp. 1001-1005.

Stack, E.M., Eltayeb, S., Liu, J., Cohen, A.D., and Durig, J.R., 1994, BTEX sorption potential of natural, radiated and bioenhanced characterized peats: Emerging Technologies in Hazardous Waste Management VI, American Chemical Society, pp. 1136-1140.

Trinkley, M., Adams, N., Cohen, A., and Lawrence, D., 1994, Excavations at 38CH173 and 38CH175, Charleston National Golf Course, Charleston, SC: Chicora Foundation Research Series 41, 97 pp.

Trinkley, M., Adams, N., Clausen, C., Cohen, A., and Lawrence, D., Wilson, J., and Trushel, M., 1994, Middle and Late Woodland Life at Old House Creek, Hilton Head Island, South Carolina: Chicora Foundation Research Series, 42:132 pp.

Cohen, A.D. and Stack, E.M., 1995, Peat: Environmental and energy uses: Encyclopedia of Energy Technology and the Environment, 3:2205-2218.

Brown, K.E. and Cohen, A.D., 1995, Stratigraphic and micropetrographic occurrences of pyrite in sediments at the confluence of carbonate and peat-forming depositional systems of southern Florida: Organic Geochemistry, 22(1):105-126.

Cohen, A.D., Ramirez, O., Obando, L., Malavassi, L., and Ramirez, A., 1995, Peat deposits of

Central America and the Caribbean Region: Circum-Pacific Council for Energy and Mineral Res., Earth Science Series, 16:193-197.

Cohen, A.D., Stack, E.M., Eltayeb, S., and Liu, J., 1995, Application of peat-based sorbents for removal of metals from water: Emerging Technologies in Hazardous Waste Management, VII:907-910.

Cohen, A. D., Bailey, A.M., Brown, K.E., Adcock, D., and Orem, W.H., 1995, Petrographic and chemical changes induced by artificial coalification of peats: with emphasis on a liptinite-rich peat from a domed peat deposit in the Okefenokee Swamp, Georgia: Proc. Society for Organic Petrology, 12:31-34.

Adams, N., Trinkley, M., Hacker, D., Cohen, A., Lawrence, D., and Wilson, J., 1995, In the Shadow of the Big House, Domestic Slaves at Stoney/Baynard Plantation, Hilton Head Island: Chicora Foundation Research Series, 40:139 pp.

Cohen, A.D. and Stack, E.M., 1996, Some observations regarding the potential effects of doming of tropical peat deposits on the composition of coal beds: Int. J. Coal Geol., 29(1-3):39-65.

Rizzuti, A., Cohen, A., and Stack, E., 1996, Effects of irradiating peats on their ability to extract BTEX's and cadmium from contaminated water: J. Environmental Science and Health, 31.8:1917-1949.

Stack, E., Dyrkacz, G.R., Hatcher, P.G., and Cohen, A.D., 1997, Density gradient centrifugation separation of peat: Sep. Sci. and Technol., 32(14):2289-2307.

Cohen, A.D., Gage, C.P., Moore, W.S., and Van Pelt, R., 1997, Combining micropetrographic and palynologic methods to improve paleoecological interpretations of peat deposits: examples from a Carolina Bay in South Carolina and the Everglades of Florida: Soc. for Organic Petrology, 14:29-31.

Trinkley, M., Hacker, D., Clausen, C., Cohen, A., Frink, D., Hogue, S., and Rovner, I., 1997, Excavations at a portion of the sucessionville archeological site (38-CH-1456), James Island, Charleston County, SC: Chicora Foundation, Research Series 52:200 pp.

Cohen, A.D. and Bailey, A.M., 1997, Petrographic changes induced by artificial coalification of peat: comparison of two planar facies from the Everglades-Mangrove Complex of Florida and a domed facies from the Okefenokee Swamp of Georgia: Int. J. Coal Geology, 34(3-4):163-194.

Adams, N, Cohen A., O'Steen, L., and Raymer, L., 1998, Archeological Investigation at the Neale Plantation (31CB110), Columbus Co., North Carolina: New South Associates, TR530, 134 pp.

Campo, R., Trinkley, M., Hacker, D., Baylon, G., Cohen, A., Hogue, S., and Rovner, I., 1998, The Plantation Landscape: Slaves and Freedmen at Seabrook Plantation, Hilton Head Island, SC, Chicora Foundation Research Series 34:197 pp.

Cohen, A.D., Bailey, A.M., Myrick, M.L., Doescher, M., Riese, W.C., Thibodeaux, S., and Enrico, R., 1998, Applications of atomic force microscopy to study of artificially coalified peats, Proc. Soc. Org. Petrology, 15:23-27.

Rizzuti, A.M, Cohen, A.D., Hunt, P.P.G., and Vanotti, M.B., 1998, Testing of peats for removal of odors from liquid swine manure: J. Environ. Sci. and Health, Part A, A33(8):1719-1739.

Eltayeb, S., Rizzuti, A.M., Cohen, A.D. Stack, E.M. Liu J., and Durig, J.R., 1998, The use of natural and altered peats for adsorption of the BTEX components of gasoline in water: Int. Peat Journal, 8:3-12.

Cohen, A.D., Gage, C.P., and Moore, W.S., 1999, Combining organic petrography and palynology to assess anthropogenic impacts on peatlands, Part-1: an example from the

northern Everglades of Florida: *Int. J. Coal Geology*, 39(1-3):3-45.

Cohen, A.D., Gage, C.P., and Moore, W.S., and Van Pelt, R. 1999, Combining organic petrography and palynology to assess anthropogenic impacts on peatlands, Part-2: an example from a Carolina Bay Wetland at the Savannah River Site in South Carolina: *Int. J. Coal Geology*, 39(1-3):47-95.

Rizzuti, A.M, Cohen, A.D., Hunt, P.P.G., and Vanotti, M.B., 1999, Evaluating peats for their capacities to remove odorous compounds from liquid swine manure using headspace solid-phase microextraction, *J. Environ. Sci. and Health*, B34(4):709-748.

Cohen, A.D., Prince, C.M., Bailey, A.M., Ho, C.S., Riese, W.C., and Thibodeaux, S., 1999, Analysis of microcracks in artificially coalified peats, *Soc. Org. Petrol.*, 16:37-40.

Trinkley, M., Hacker, D., Cohen, A., Coyle, S., and Rovner, I., 1999, Roupelmond: An Eighteenth and Nineteenth Century Interior St. Helena Parish Plantation, Beaufort County, SC., Chicora Foundation Res. Series 53, 216 pp.

Trinkley, M., Cohen, A., Coyle, S., and Rovner, I., 1999, Archeology at the Western Portion of 38CH1257 and at 381259: A Glimpse of Woodland and Civil War Archeology on Seabrook Island, Charleston County, SC, Chicora Foundation Res. Series 56, 98 pp.

Bailey, A.M., Cohen A.D., and Orem, W.H., 2000, Mobilization of inorganic ions during experimental diagenesis of characterized peats: *Chemical Geology*, 166(3-4):287-300.

Kelemen, S.R., Afeworki, M., Gorbaty, M.L., and Cohen, A.D., 2000, Characterization of peats by x-ray and NMR methods, *Amer. Chem. Soc.*, 45(2): 339-443.

Cohen, A.D., Bailey, A.M., Gibbs, R, and Riese, W.C., 2000, Petrographic comparison of an artificially coalified *Taxodium*-bay peat from

the Okefenokee Swamp of Georgia and a *Taxodiaceae*-rich Paleocene lignite from North Dakota, *Soc. Org. Petrology*, 17:19-24.

Rizzuti, A.M. and Cohen, A.D., 2000, Using hydraulic conductivity and micropetrography to assess water flow through peat-containing wetlands, *Soc. Org. Petrology*, 17:72-75

Bailey, A. M., Hollerman, W. A., Gibbs, R., Cohen, A. D., Glass, G. A , Hynes, S. F., Fournet, J., and Greco, R., 2001, Nuclear microprobe analysis of artificial coal, *Nuclear Instruments and Methods in Physics B (PACS:83.80. NB,61.80,61.16.Yc)*:1-7.

Cohen, A. D., Bailey. A. M., Gibbs, R. B., and Riese, W. C., 2001, Differential coalification exhibited by petrographic changes during artificial coalification of *Taxodium*-dominated peats from Georgia and Louisiana, *Soc. Org. Petrology*, 18:25-30.

Williams, T. and Cohen, A. D., 2001, Trace element distribution in an organic-rich wetland at the Savannah River Site, South Carolina, *Soc. Org. Petrology*, 18:120-124.

Schreiber, B. C., R. P. Philip, S. Benali, M. L. Helman, J. A. de la Peña, R. Marfil, P. Landais, A.D. Cohen, and C. G. St. C. Kendall, 2001, Characterization of Organic matter Formed in hypersaline carbonate/Evaporite Environments: Hydrocarbon Potential and Biomarkers Obtained through Artificial Maturation Studies: *Journal of Petroleum Geology*, 24 (3): 309-338.

Rizzuti, A. M., Eltayeb, S., Cohen, A.D., Stack, E.M., Liu, J., and Durig, J.R., 2001, Using highly characterized peats to extract heavy metal ions from contaminated water, *Int. Peat Journal*, 11:3-13.

Kendall, C. G. St. C., Alsharhan, A. S. and Cohen, A., 2002, The Holocene tidal flat complex of the Arabian Gulf coast of Abu Dhabi, In: Barth & Böer (eds.), *SABKHA ECOSYSTEMS*, Kluwer Academic Publishers. Printed in the

Netherlands, pp. 21-35.

Rizzuti, A. M., Cohen, A.D. Hunt, P.G., Ellison, A.Q., and Vanotti, M.B., 2002, Retention of nitrogen and phosphorous from liquid swine and poultry manures using highly characterized peats. *J. Environ. Sci. Health Part B*, 37(6):587-611.

Bailey, A. M., Hollerman, W. A., Gibbs, R., Cohen, A. D., Glass, G. A , Hynes, S. F., Fournet, J., and Greco, R., 2002, Nuclear microprobe analysis of artificial coal, *Nuclear Instruments and Methods in Physics Research B*, 189:418-421.

Kelemen, S.R., Afeworki, M., Gorbaty, M.L., and Cohen, A.D., 2002, Characterization of organically bound oxygen forms in lignites, peats and pyrolyzed peats by x-ray photoelectron spectroscopy (XPS) and solid state ¹³C NMR methods, *Energy and Fuels*, 16(6):1450-1462.

Bonhage-Freund, M.T., Raymer, L. E., Cohen, A.D., and Reinhard, K. J., Published in 2003 (dated 2002), *Paleoethnobotany, Palynology, and Parasitology of Eighteenth and Nineteenth-Century Occupations of Picotte-Dec Site, Albany, NY*, *New South Assoc.* 967, 120 pp.

Trinkley, M., Hacker, D., Southerland, N., Barile, K., Cohen, A., Coyle, S., and Rovner, I., 2003, *Archeology at an Eighteenth Century Slave Settlement in Goose Creek, South Carolina*, *Chicora Foundation Res. Series* 57, 197 pp.

Rizzuti, A.M., Cohen, A. D. and Stack, E. M., 2004, Using hydraulic conductivity and micropetrography to assess water flow through peat-containing wetlands, *Int. J. Coal Geology*. 60:1-16.

Adams, N. P., Swanson, M., Raymer, L., O'Steen, L. D., Joseph, J.W., and Cohen, A. D., 2005, *The Free Cabin site (9Ri1036): Archeological Examination of Postbellum Tenant Occupation near Hephzibah, Richmond County, Georgia*, *New South Associates*, 236 pp.

Bruening, F. A. and Cohen, A. D., 2005, Evaluation of the physical properties of coal macerals using atomic force microscopy, *Soc. Org. Petrol.*, 22:29-31.

Bruening, F. A. and Cohen, A. D., 2005, Measuring surface properties and oxidation of coal macerals using the atomic force microscope, *Int. J. Coal Geology*, 63:195-204.

Cohen, A. D., Shelley, D. and Humphries, A., 2005, Characteristics of "rimswamp" coal-forming environments in the Congaree River Floodplain of South Carolina, *Soc. Org. Petrol.*, 22:37-39.

Shelley, D. C. and Cohen, A. D., 2005, *The Secrets and Wonders of Muck Swamp, Friends of the Congaree Swamp*, Fall, pp. 1, 10-11.

Kelemen, S. R., Gorbaty, M.L., Afeworki, M., Sansone, M., Walters, C. C., Kwiatek, P.J., and Cohen, A. D., 2006, Thermal transformations of nitrogen and sulfur forms in peat related to coalification, *Energy and Fuels*, 20(2):635-652.

Foster, H. T. and Cohen, A. D., 2007, Palynological evidence of effects of the deerskin trade on eighteenth century forests of southeastern North America, *American Antiquity*, 72(1):35-51.

Seramur, K., Raymer, L. and Cohen, A. D., 2008, *Savannah Harbor expansion project (SHEP): analysis of core samples collected from a paleochannel of the Savannah River*, *New South Assoc.* 1530, 30 pp.

Marsh, P. E. and Cohen, A. D., 2008, Tracking sea level change using a palynomorphic fingerprint to identify high-level salt marshes, *Review of Paleobotany and Palynology*, 148(1): 60-69.

Rizzuti, A.M., Cohen, A.D., and Nguyen, D.D., 2008, Evaluating peats for their capacities to extract methyl tertiary butyl ether from contaminated water using solid-phase microextraction with gas chromatography,

J. Environ. Sci. and Health, Part A: Toxic/Hazardous Substance & Environmental Engineering, 43(2):132-143.

Shelley, D., Cohen, A.D., 2010, Geologic constraints on the planform geometry of the Congaree River, South Carolina Geol., 47:19-31.

Foster, T., Olsen, L., Dale V., and Cohen, A.D., 2010, Studying the Past for the Future: Managing Modern Biodiversity from Historic and Prehistoric Data. Human Organization, 29(2):149-157.

Foster, T., Waring, A. J. and Cohen, A. D., 2010, Sampling of data derived from historical documents in anthropological research, American Antiquity, 75:1-5.

Foster, T. and Cohen, A.D., 2010, Sampling of data derived from historical documents in anthropological research: a response to Joshua Piker, American Antiquity, 15 pp.

Cohen, A. D. and Chatterjee, S., 2011, Field Trip Guidebook to Giant Cement Quarry, Harleyville SC: Type Locality of the Upper Eocene Harleyville Formation, 24 pp.

Chatterjee, S.K., Cohen, A.D. and Kendall, C. G. St. C., 2011, A high-resolution study of depositional facies and architecture of Ford Branch outcrop: a middle Pennsylvanian sedimentary sequence near Pikeville, Ky, SEPM Spec. Pub., pp. 249-267.

Chatterjee, S. K., Cohen, A. D., Kendall, C. G. S. C., Martinsen, O. J., Pulham, A. J., Haughton, P. D. W., & Sullivan, M. D., 2011. A high-resolution study of depositional facies and architecture of Fords Branch outcrop; a middle Pennsylvanian sedimentary sequence near Pikeville, Kentucky, U. S. A. Concepts in Sedimentology and Paleontology 10: 249-267.

Marsh, P. E., & Cohen, A. D., 2016. *Atrotoquata lineata* as a proxy for *Juncus roemerianus*; part I, *Atrotoquata lineata* as proxy for *Juncus roemerianus* in surface sediments from high-

level salt marshes in the southeastern United States. Acta Palaeobotanica 56(2): 523-535.

Marsh, P. E., & Cohen, A. D., 2016. *Atrotoquata lineata* as a proxy for *Juncus roemerianus*; part II, tracking changes in positions of *Juncus roemerianus* marshes through time by use of the fungal proxy *Atrotoquata lineata*. Acta Palaeobotanica 56(2): 537-554.

Rizzuti, A.M., Newkirk, C.R., Wilson, K.A., Cosme, L.W., Cohen, A.D., 2017. Biosorption of hexavalent chromium from aqueous solutions using highly characterized peats. Mires and Peat 19(1): 1-10.

Naafs, B.D.A., Inglis, G.N., Zheng, Y., Amesbury, M.J., Biester, H., Bindler, R., Blewett, J., Burrows, M.A., del Castillo Torres, D., Chambers, F.M., Cohen, A.D., Evershed, R., Feakins, S.J., Gałka, M., Gallego-Sala, A., Gandois, L., Gray, D.M., Hatcher, P.G., Coronado, E.H., Hughes, P.D.M., Huguet, A., Könönen, M., Laggoun-Défarge, F., Lähteenoja, O., Lamentowicz, M., Marchant, R.A., McClymont, E.L., Pontevedra-Pombal, X., Ponton, C., Pourmand, A., Rizzuti, A.M., Rochefort, L., Schellekens, J., De Vleeschouwer, F., Pancost, R.D., 2017. Introducing global peat-specific temperature and pH calibrations based on brGDGT bacterial lipids. Geochimica et Cosmochimica Acta 208: 285-301.

Rizzuti, A.M., Mouzzone, K.D., Cosme, L.W., Cohen, A.D., 2017. Utilizing highly characterized peats to remove cadmium from aqueous solutions. Mires and Peat 21 (Article21):1-10.